

ACCOUNT SETUP	3
CONNECT CONTROLLER	
ZONE SETUP	6-7
MAIN APP NAVIGATION	8
SETTINGS	9
LIGHTING SCREEN	10
MOVEMENT MODES	11
PATTERNS	12-13
SPOTLIGHT MODE	
SCHEDULES	14-15
TROUBLESHOOTING	16-19
MATERIAL REFERENCES	

APP DOWNLOAD......2

PERMANENT HOLIDAY LIGHTS





GETTING STARTED

Congratulations on the purchase of your new Oelo multi-color lighting system. This manual is for the setup and operation of the **OELO LIGHTING SOLUTIONS EVOLUTION APP**, which can be downloaded from the Apple App Store or Google Play Store.

INITIAL SETUP: DOWNLOAD THE EVOLUTION APP



Oelo Evolution



STEP 1: Search "OELO," then download the **OELO EVOLUTION** App from the Apple App Store or Google Play Store. (Look for the light blue icon for our latest app version.)



I T-Mobil **〈** Search Oelo Evolution oelo ATT T OPEN CATEGO 4 RATINGS 馬 4+ 4.5 Lifesty **** Version Histor What's New 3w ag Version 1.1.4 - Saved Pattern Filters added Bug fixes Preview 7.42 ÷ 243 oelo Create New Schedule ----

0 0



INITIAL SETUP CONTINUED: CREATE YOUR ACCOUNT

STEP 2: Plug in the Oelo controller box and wait for power to turn on.

POWER / CONNECTION INDICATORS



Red Light: The Controller is receiving power.

Blue Light Slow Flash: The Controller is starting up, updating or attempting to connect.

Blue Light Fast Flash: The Controller is ready to connect to the App. Continue to Step 3.

Blue Light: The Control Box is connected (after Step 9 completion on the following pages).

ľ	oelo
iceata	
LOGIN	
OWNE	
PASTRO	aD.
	Forgat Password?
	SION IN
	Don't have an account?
	EGNUP NDWI
	Controller hat online?
	Connect via Controller AF

STEP 3: Open the Oelo Evolution App. If this is your first time signing in, please create an account. >

(If you are an existing Oelo customer, who purchased a controller retrofit, you also will need to create a new Oelo Evolution account.)

SIGN UP		
DEST NAME	LAST NAME	
816.A.S.		
ADDRESS		
¢111	Please Select	
310 CODE	TIME 2016	-
*ATTWORD	Piease select	*
PATTWORD RIPLAT		
sistaute/braute Self install		
CREAT	TE ACCOUNT	h

STEP 4: To create your account, tap "Don't have an account?" and complete the Sign Up form.



CONNECT YOUR CONTROLLER

Connect your Oelo Controller to your smartphone to operate your lights from anywhere in the world!

INITIAL SETUP CONTINUED: FIND YOUR CONTROLLER

Welc	ome	
LET'S S CONTR	ET UP YOUR OELO	
CONTR	offer a	
	FIND MY CONTROLLER	
More info		
 If yo excl 	n on Illuetooth. N have multiple controllers, turn (ept the one you want to configure vithin 30 feet of the controller.	

STEP 5: Select FIND MY CONTROLLER.



STEP 6: Wait for the App to find the Controller. Stand close to the Controller for the fastest results.

10	gout
	Configure WiFi
	Please select your wifi network and enter your passward.
	Home Network
	password
	Prostmente
	SET WIFI

STEP 7: Select your WiFi network from the dropdown menu and enter your network password.


STEP 1: CHECK THE CONTROLLER INDICATOR LIGHTS

Red Light: The Controller is receiving power. (If this light — is not illuminated, check that 1) a breaker hasn't been tripped, 2) the box is plugged in and 3) the Power Switch is-flipped in the ON position (toward the orange connectors).

If the Red Light is off and the above steps don't help, "re-boot" your box by unplugging and plugging it back in, then watch for the Blue Light to run through this series ...

Blue Light Slow Flash: The Controller is starting up, updating or attempting to connect.

Blue Light Fast Flash: The Controller is ready to connect to the App. Return to Step 5. (The Blue Light will stop flashing and glow solid once Steps 5-8 are completed successfully.).



oelo.com



INITIAL SETUP CONTINUED: CONNECT TO YOUR WIFI

Logout	Logout	togout
Waiting for WiFi Connection Please wait up to 30 seconds	WiFi Connected! Please enter a name for your controller. Oelo Lights	No WiFi Networks Found Please ensure the antenna is connected and the controller is within range of your WiFi network.
0 0 0	SET NAME	
STEP 8: Wait for WiFi connection.	STEP 9: Enter a name for your controller, like "Home."	IF YOU CAN'T CONNECT:

STEP 2: CHECK CONTROL BOX ANTENNA

If re-powering the Control Box does not work, check the Control Box Antenna. **Disconnect the power first before touching the antenna!** Ensure the antenna is connected to the Controller by firmly pressing down on the antenna attachment, then run through the initial setup instructions.



STEP 3: CHECK NETWORK RANGE

Make sure the Controller is within range of your WiFi network and confirm your network is working properly.




ZONE SETUP

Oelo's state-of-the-art controller touts **SIX INDIVIDUALLY ADDRESSABLE OUTPUTS**, which allows you to control more than half a dozen zones separately from one controller for creative, hybrid installs and out-and-down lighting effects!

MORE ABOUT OELO "ZONES"

WHAT ARE ZONES?


Zones are separate light strand outputs that you can control independently from one another, allowing you to run different colors, movements and patterns from each zone. Each Oelo Controller can support up to six Zones. Before installation, your installer would have determined how best to illuminate your structure(s) and if zones were needed.



Zone 1 Signal Output Zone 2 Signal Output Zone 3 Signal Output Zone 4 Signal Output Zone 5 Signal Output Zone 6 Signal Output

Zone Outputs


BELOW IS AN EXAMPLE OF HOW ZONES CAN BE UTILIZED:



ZONE 1: The first Zone runs across the first- and second-floor facade, facing **OUTWARD**, to create traditional lighting.


ZONE 2: The second Zone is hung **DOWNWARD** to create a wall-wash effect, as well as security/spotlighting. **ZONE 3:** A third Zone is installed on the **REAR** of the home for its own separate backyard/patio lighting.





MAIN APP NAVIGATION


MAIN APP NAVIGATION: YOUR ESSENTIAL CONTROLS



ACCOUNT SETTINGS

Select the **GEAR**

0



ADD CONTROLLER: Need to add more Controllers? Tap Add Controller, then see **Page 4** instructions. **INVITE USERS:** Share control of your Oelo Controller(s) with others.

DARK/LIGHT MODE:Adjust your app's Dark / Light display preferences.

LIGHTING CONTROLS



OPERATING YOUR LIGHTS: LED CUSTOMIZATION

LIGHTING CONTROLS

Upon launching your App, you can customize your lights colors, pattern, movement and LED count on the **LIGHTING** screen using these controls:

- 1 Tap **SELECT ZONE(S)** to **customize one or more zones**. The selected Zone(s) will be shown above the color wheel.
- 2 Hit the + button to add the number of LEDs in a pattern, then tap the LED CIRCLE to customize the LED. Select the
 button and tap one of the LEDs in the pattern to delete.
- 3 Slide the MARKER around to change the hue.
- A Raise and lower the **DIMMER** to adjust **color brightness.**
- 5 Tap **RECENT** to choose **past colors** for easy re-selection.
- 6 Select WHITES to quickly choose a white hue.
- 7 Choose PRESET for a selection of standard vibrant colors.
- 8 Tap RGB VALUES to adjust colors precisely.
- **9** Tap **PATTERNS** to choose a lighting sequence from your favorite **custom patterns** or an **Oelo pre-set pattern**.
- 10 Tap **MOVEMENT** to modify your pattern's **movement**.
- Select SET PATTERN to display your lighting sequence.
- Tap SAVE AS PATTERN to save your lighting sequence.





MOVEMENT MODES

OPERATING YOUR LIGHTS: MOVEMENT CUSTOMIZATION

MOVEMENT MODE

The Evolution App offers a variety of **MOVEMENT MODES** that lets you customize how the lights move, fade and pulse. You can even change the speed and gaps in the movement mode to further customize your lights. Tap the <u>MOVEMENT</u> button on the LIGHTING SCREEN to view all of the movement modes. Select a mode, modify and then save.



STATIONARY Choose this mode for an iconic Christmas look.

ARCADE Let a hue fill in the strand, gradually slowing.

BLEND Blend two colors for a gradient effect.

BOLT Shoot a color through the strand for a bolt effect. CHASE Pick two colors (or more) to chase each other.

FILL Create a fill effect with this in-ward movement.

MARCH March your favorite repeated hues.

LIGHTNING Add an extra jolt to your stagnant colors! **RIVER** Blend transitioning hues for a flowing effect.

SHUFFLE Shuffle one hue for another for a fun effect.

SPLIT Evenly split two colors for a dual-lighting result.

SPRINKLE Slightly fade each LED for a sprinkling illusion. STORM Flash random lightning across blended colors.

STREAK Control speed and gaps to create a streak effect.

TWINKLE Drastically fade each LED for a twinkle effect.

TAKEOVER Take over your marching pattern with the last hue.

PLUS, SPOTLIGHT ENTRYWAYS, WALKWAYS AND MORE! Turn on (and off) select LEDs for security lighting. PAGE 13



STATIONARY

STREAK

SPLIT

PATTERNS oelo 6 LEOs in potter \odot 铛 PATTERNS **PRE-MADE AND CUSTOM PATTERNS!** The Evolution App offers more than 55+ pre-made patterns to celebrate most any favorite occasion! You can find these RECENT WHITES PRESEL RES VALUES patterns by selecting the **PATTERNS** icon in the App's main footer navigation or PATTERN by tapping the **PATTERNS** on the LIGHTING screen. You also can create, save and re-use your own custom patterns! (Look for under on the Patterns page.)

USING OELO'S PRE-SET PATTERNS



STEP 1: Toggle to the **PATTERNS** screen.



STEP 2: Choose one of the categories to see the pre-made patterns.



FOR SPORTS FANS! Be sure to check out our new Sports patterns categories!

Christman	E Candy Co	ane Gimm	**		
	0				
THE HART	i formeri 20				
	DIT		iit		
		an		-	
Christma	: Cândy Đ	metone			
	00				
THE mate		•			
Internet #					
Direction it					
Direction R	Ligned 4				
Direction R	Edited	pre-se	t pat		
Direction R	Edited		t pat		
	Edited	pre-se	t pat		
	Edited	pre-se	t pat		
Chesters	Edited saved	pre-se	t pat		
Christen Christen Triff, skale Director R	Edited saved	pre-se	t pat		
Christen Christen Triff, skale Director R	Edited saved	pre-se	t pat		
Christen Christen Triff, skale Director R	Edited saved	pre-se d to YC	t pat		
Christen Christen Triff: skafe Direction 9		pre-se d to YC	t pat		

STEP 3: Edit or select one of the patterns and hit **Select** to display. Note: If you edit a pre-set pattern, it will appear in your custom patterns.

CREATING (AND SAVING) YOUR OWN CUSTOM PATTERNS



STEP 1: Add LEDs (+ and -) to the pattern and select your **COLORS** with the LIGHTING screen's various color tools.

SPOTLIGHT ENTRYWAYS, WALKWAYS AND MORE!

Turn on (and off) select LEDs for security lighting.

STEP 1: To spotlight your

building, tap the **SPOTLIGHT** icon in the main navigation.



STEP 2: Tap the LIGHTING screen's **MOVEMENT** button to select, modify and save your Movement Mode settings.



STEP 3: Upon saving, you will return to the LIGHTING screen. Tap the **SELEPATIEN** button to display your sequence.



STEP 4: Tap the LIGHTING screen's **SAVE AS PATTERN** button to save and name the sequence. Your pattern will be saved under Patterns > Your PATTERNS.



USING THE SPOTLIGHT FEATURE



STEP 2: Select your spotlight **COLOR** using the color wheel, white pre-sets or other color selector tools.



STEP 3: TAP THE LEDS in the light strand that you want to illuminate.

(The LEDs will change to the selected hue. Slide the LEDs side to side to view all of the LEDs in your strand.)



STEP 4: Tap **Contract** to display your selections, and push **Contract** to create a re-usable pattern (saved in YOUR PATTERNS).

SCHEDULES

The **SCHEDULES** calendar icon at the bottom of your phone is used to create a lighting schedule. Use this feature to schedule out daily, weekly or yearly use.

SCHEDULING PATTERNS

8

ATTERN



STEP 1: Tap **SCHEDULES** in the main navigation.

STEP 2: Select CREATE NEW SCHEDULE, then ...

1 Choose SCHEDULE TYPE to change the schedule repetition:

Daily: Displays every day.

Day/Day(s) of Week (Repeats Weekly): Choose which days of the week that you would like to repeat your pattern on a weekly basis.

On Date(s) (Repeats Yearly): Select start and end date; repeats every year.

On Date(s) (One Time): Choose start and end date; does not repeat.

Select **START TIME** and **END TIME** to change what time the pattern begins and ends, either **At Set Time**, **At Sunset** or **At Sunrise**.

3 Tap **PATTERN CATEGORY/PATTERN** to choose which category and pattern to schedule, choosing from **My Patterns** (your saved custom light patterns) or **Pre-Set Patterns** (Oelo's patterns).

4 Enable which **ZONES** are controlled by the schedule.

5 NAME your schedule.

6 SAVE SCHEDULE.

Y	our Schedules			
	Create New Schedu	le	~	
	SCHEDULE TYPE Daily		~	
2		ND TIME Select	~	
3	PATTERN CATEGORY My Patterns		>	
	PATTERN Select a pattern		~	
4	ZONES Strip 1			
5				
6	SAVE SCHE	DULE		



STEP 3: Tap the **SLIDER BUTTON** to enable/disable the schedule. Your lights will run automatically.

Create New Sche	dule	
ication tere Daily		4
At Sunset 🗸 🗸	teo tiez At Sunrise	
American Liberty		Ye
Fourth of July: Fod	ing Firework	÷
Strip 1 Strip 1 KAME Fourth of July Sche	edula	
	CHEDULE	

STEP 4: To modify existing schedules, tap **EDIT** to change the schedule. Tap **SAVE** to confirm the changes.

Never miss a holiday again by scheduling your lights well in advance!



SETUP TROUBLESHOOTING

Things to Check	Additional Steps
<section-header></section-header>	 Red Light: The Controller is receiving power. (If this light is not illuminated, check that 1) a breaker hasn't been tripped, 2) the box is plugged in and 3) the Power Switch is flipped in the ON position (toward the orange connectors). If the Red Light is off and the above steps don't help, "re-boot" your box by unplugging and plugging it back in, then watch for the Blue Light to run through this series Blue Light Slow Flash: The Controller is starting up, updating or attempting to connect. Blue Light Fast Flash: The Controller is ready to connect to the App. Blue Light indicates the Controller is connected. If the Blue Light is not flashing or stationary appropriately during the sequence, unplug your Control Box, plug it back in and re-launch your app and follow the Initial Setup
	Steps on Page 3 .
Check your Oelo App permissions	 A. Navigate to your phone's SETTINGS > APPS > OELO EVOLUTION APP > PERMISSIONS. B. Allow the Oelo App access to the LOCATIONS, NETWORK and DATA. C. Relaunch the Oelo App and follow the Initial Setup Steps on Page 3.
Update the light count in your Oelo App	 A. In the CUSTOMER FOLDER provided to you when you received your system, you will find your total light count. B. In the app, tap the SETTINGS ICON, then CONTROLLER SETTINGS. C. Update the LED COUNT for each ZONE to the correct amount. Hit SAVE.
Disconnect your Oelo system from power	A. Flip the breaker associated with the Oelo system.B. Flip the breaker back on and test that your lights work.
Restart your Oelo App	 A. Close your Oelo App and reopen it. If it is not fixed B. Uninstall then re-download the OELO EVOLUTION App from the Apple App Store or Google Play Store.
Factory reset the Control Unit	 A. On the CONTROL UNIT BOARD, press and hold the TEST button for 5 seconds until the light strand turns RED. B. Wait for the BLUE light on the CONTROL UNIT BOARD to start flashing quickly. This indicates that the Control Unit is ready to connect. C. Relaunch the Oelo App and follow the Initial Setup Steps on Page 3.

CONTROLLER NOT FOUND

Things to Check	Additional Steps
Verify your Controller is working properly	 Red Light: The Controller is receiving power. (If this light is not illuminated, check that 1) a breaker hasn't been tripped, 2) the box is plugged in and 3) the Power Switch is flipped in the ON position (toward the orange connectors). If the Red Light is off and the above steps don't help, "re-boot" your box by unplugging and plugging it back in, then watch for the Blue Light to run through this series Blue Light Slow Flash: The Controller is starting up, updating or attempting to connect. Blue Light Fast Flash: The Controller is ready to connect to the App. Blue Light indicates the Controller is connected. If the Blue Light is not flashing or stationary appropriately during the sequence, unplug your Control Box, plug it back in and re-launch your app and follow the Initial Setup Steps on Page 3.
Verify the antenna is connected properly	 A. Ensure the antenna is connected to the Controller. Disconnect power first before touching the antenna! B. Firmly press down on the antenna attachment. C. Relaunch the Oelo App and follow the Initial Setup Steps on Page 3.
Restart your Oelo App	 A. Close your Oelo App and reopen it. If it is not fixed B. Uninstall then re-download the OELO EVOLUTION App from the Apple App Store or Google Play Store.
Disconnect your Oelo	A. Flip the breaker associated with the Oelo System.
system from power	B. Flip the breaker back on and test that your lights work.
Restart your Oelo App	 A. On the CONTROL UNIT BOARD, press and hold the TEST button for 5 seconds until the light strand turns RED. B. Wait for the BLUE light on the CONTROL UNIT BOARD to start flashing quickly. This indicates that the Control Unit is ready to connect. C. Relaunch the Oelo App and follow the initial setup steps on Page 3.

LIGHTS ISSUES

Issue	Solution
My lights don't turn on	 Solution 1 – Reset your system: If you have not used your Oelo System frequently, it may need a reboot. A. Turn off your system and unplug it for 10 minutes. B. If Step A does not work, flip the breaker that your system is connected to.
	Solution 2 - Verify that your Control Unit is working properly: A working Oelo System will have 2 lights on inside the Control Unit, 1 RED and 1 BLUE .
	Red Light: The Controller is receiving power. (If this light is not illuminated, check that 1) a breaker hasn't been tripped, 2) the box is plugged in and 3) the Power Switch is flipped in the ON position (toward the orange connectors).
	If the Red Light is off and the above steps don't help, "re-boot" your box by unplugging and plugging it back in, then watch for the Blue Light to run through this series
	Blue Light Slow Flash: The Controller is starting up, updating or attempting to connect. Blue Light Fast Flash: The Controller is ready to connect to the App. Blue Light indicates the Controller is connected.
	If the Blue Light is not flashing or stationary appropriately during the sequence, unplug your Control Box, plug it back in and re-launch your app and follow the Initial Setup Steps on Page 3 .
	Solution 1 - Turn Off All Zones: In the Oelo App, tap ZONES OFF on the bottom bar.
	Solution 2 - Restart your Oelo App: Close your Oelo App and reopen it, attempting to turn the lights off.
My lights won't shut off	Solution 2 - Factory reset your Oelo System: On the CONTROL UNIT BOARD, press and hold the TEST button for 5 seconds until the light strand turns RED . Wait for the BLUE light on the CONTROL UNIT BOARD to start flashing quickly. This indicates that the Control Unit is ready to connect. Relaunch the Oelo App.
Only a portion of	 Solution 1 - Update Light Count in the Oelo App: A. In the app, tap the SETTINGS ICON, then CONTROLLER SETTINGS. B. Update the LED COUNT for each ZONE to the correct amount. Hit SAVE.
my lights respond	Solution 2 - Factory reset your Oelo System: On the CONTROL UNIT BOARD, press and hold the TEST button for 5 seconds until the light strand turns RED . Wait for the BLUE light on the CONTROL UNIT BOARD to start flashing quickly. This indicates that the Control Unit is ready to connect. Relaunch the Oelo App and follow the initial setup steps on Page 3 .
One or more LEDs won't turn on	 Solution 1 - Update Light Count in the Oelo App: A. In the app, tap the SETTINGS ICON, then CONTROLLER SETTINGS. B. Update the LED COUNT for each ZONE to the correct amount. Hit SAVE.
	Solution 2 - Replace the LED(s). (See oelo.com/troubleshooting for instructions.)

WIRING ISSUES

COMMON INSTALLATION MISTAKES

	-GND +VCC	Common Mistakes: Connecting the 3-Core Wire to Control Unit:		
		Α.	Insert the -GND 3-Core Wire to the BLACK CONDUCTOR OUTPUT . Clamp the Conductor down.	
		В.	Insert the S 3-Core Wire to lowest numbered S-Port (numbered 1-6) .	
		C.	Insert the +VCC 3-Core Wire to the RED CONDUCTOR OUTPUT . Clamp the Conductor down.	
			Note: Make sure there is no wiring left exposed when the Conductors are clamped down.	
		Co	mmon Mistakes: Facing the Output Arrow in the right direction:	
Σ		Α.	Check your connections to verify that the output arrow, located on each Light Puck, is pointing AWAY from the Control Unit.	
WIRING SYSTEM		В.	If the arrow is not pointing away from the Control Unit, you will have to cut out that Light Strand section and reverse the orientation.	
5	This arrow MUST point away from Control Unit.	C.	You can learn how to replace an LED at oelo.com/troubleshooting.	
WIRIN		D.	After verifying that all arrows are facing the correct direction, test the system.	
-			Common Mistakes: Installing Jumper Cables:	
		Α.	Strip the Light Strand's "S " and "VCC " wires.	
		В.	Strip the 3-Core Jumper Cable's "GND" , "S" and "VCC" wires.	
	Installing Jumper	C.	Using Butt Connectors, insert the wires, connecting GND-GND , S-S and VCC-VCC .	
	Core Cables	D.	Crimp the Butt Connectors on both side of the center silver line.	
		E.	Using a Butane torch, apply heat to the connectors, shrinking them completely.	
		F.	Repeat steps A-E on the other end of the Jumper Cable with a new Light Strand and continue wiring.	

If your system is still not functioning after following solution instructions,

please fill out our Troubleshooting Form (to specify a contact time) at:

oelo.com/troubleshooting

OR call our troubleshooting desk at: 970-212-3676



ADDITIONAL REFERENCES

Materials		Reference Link
	Acrylic Installation Manual	<u>oelo.com/resources/manuals</u>
MANUALS	Metal Installation Manual	<u>oelo.com/resources/manuals</u>
	Oelo Evolution Guide	<u>oelo.com/resources/manuals</u>
	Troubleshooting Support Form	<u>oelo.com/troubleshooting</u>
CONTACT	Phone	(970) 212-3670
	Email	lightyourspace@oelo.com



www.oelo.com | 970.212.3670 | 3842 Redman Dr., Fort Collins, CO User Manual was last updated 03.24, ©2024 Oelo